



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

XI. *Additional Observations on the Method of making Ice at Benares. In a Letter to William Marsden, Esq. F. R. S. from John Lloyd Williams, Esq. of Benares.*

Read May 2, 1793.

DEAR SIR,

IN addition to what I have already communicated to you, respecting the mode of procuring ice in this country, the following observations on that subject, accompanied with some account of the temperature of the air, and state of the thermometer, may not be unacceptable.

April 30th, 1792, the thermometer, in the shade, being at 95 degrees, some water was taken up from a well, sixty feet deep, and the thermometer being immersed in it, its temperature was found to be 74 degrees. This water was then poured into four pots, or pans, similar to those which, in my former letter, I mentioned as being employed in the process for making ice. They were also similar to each other in size and construction, except that two of them were new and unglazed, and the two others old, with their pores closed, so that no moisture could transpire through them. These pots were then exposed to a hot westerly wind, in the shade, for the space of three hours; viz. from two o'clock in the afternoon till five. Upon examining them at that time, the water in

the old pots was found to be at 84 degrees, and that in the new, or porous ones, at 68. After remaining in that situation one hour longer, the water in the old pots rose to 88 degrees, whilst that in the new ones continued at 68.

May 1st, at two o'clock in the afternoon, the thermometer then being, in the sun, at 110 degrees, and in the shade at 100, the experiment was repeated, with the same pots as before. After being filled with well-water, they were exposed for four hours, viz. from two o'clock till six, to a hot wind; the water in the old pots was then found to be at 97 degrees, that in the new ones at 68.

The foregoing observations on the frigorific effect of evaporation from porous vessels, will perhaps account, in some measure, for ice being formed when the thermometer, in the air, is above the freezing point. And the power of evaporation in generating cold, may be further elucidated by the following observations on the effects produced, by its means, in our houses.

May 16, 1792, at two in the afternoon,

The thermometer, in the sun, with a hot westerly wind,
rose to - - - - 118 degrees.

Ditto, in the shade, but exposed to the hot
wind - - - - 110 ditto.

Ditto, in the house, which was kept cool by
tatties - - - - 87 ditto.

June 7.

Thermometer, in the sun - - - 113 degrees.

Ditto, in the shade, and hot wind - 104 ditto.

Ditto, in the house, cooled by *tatties* - 83 ditto.

Tatties are a kind of mat, made of fresh green bushes, or long roots, like snake-root; they are affixed to the door or window frames, and kept constantly sprinkled with water. The degree of cold produced by their means is supposed to be in proportion to the heat of the wind which passes through them, as on that depends the quantity of evaporation.

I am, &c.

Benares,
October 1, 1792.

J. LL. WILLIAMS.